


**APO-COMPONON 4/60**


**MODULATION** with reference to the relative image height

Wavelength $\lambda$	[nm]	546	706	644	480	436	405
Spectral weighting	[%]	27.4	12.4	24.1	18.3	12.6	5.2
Spatial frequency R	[1/mm]	10	20	40			
Format	[mm X mm]	42.0	X	42.0			
Diagonal $2u'$	[mm]	60.0					


radial —  
tangential - -



$f^* = 59.9$   $f / 4.0$   $1/\beta^* = -25.00$   $00^* = 1619.$   $f^* = 59.9$   $f / 5.6$   $1/\beta^* = -25.00$   $00^* = 1619.$   $f^* = 59.9$   $f / 8.0$   $1/\beta^* = -25.00$   $00^* = 1619.$



$f^* = 59.9$   $f / 4.0$   $1/\beta^* = -6.00$   $00^* = 488.$   $f^* = 59.9$   $f / 5.6$   $1/\beta^* = -6.00$   $00^* = 488.$   $f^* = 59.9$   $f / 8.0$   $1/\beta^* = -6.00$   $00^* = 488.$



$f^* = 59.9$   $f / 4.0$   $1/\beta^* = -3.00$   $00^* = 318.$   $f^* = 59.9$   $f / 5.6$   $1/\beta^* = -3.00$   $00^* = 318.$   $f^* = 59.9$   $f / 8.0$   $1/\beta^* = -3.00$   $00^* = 318.$

Focusing :  $MTF_{max}$  at  $f / 4.0$  ,  $R = 20$  1/mm,  $u'/u'_{max} = 0$

45785 280800 Printed in the Federal Republic of Germany